

**CERTIFICATO D'ANALISI
CERTIFICATE OF ANALYSIS**
GARLIVE ORAL SPRAY 20ml MAGI'S LAB
Lotto n°/Batch n°: **B21306.**Data di scadenza/*Date of expiration*: **nov-24**
Analisi chimico-fisica/Chemical-physical analysis

caratteristiche/items	met./method	specifiche/specifications	risultato/result
Aspetto/ <i>Appearance</i>	-	liquido marrone/brown liquid	conforme/ <i>comply</i>
Densità/ <i>Density</i>	I.O. 10.11	1 ± 0,2 g/ml	conforme/ <i>comply</i>
ph/pH	I.O. 10.10	3,5-4,5	3,54

Metalli pesanti/Heavy metals

caratteristiche/items	met./method	specifiche/specifications	risultato/result	
Mercurio/ <i>Mercury</i>	regolamento (CE) 629/2008 / <i>regulation (CE) 629/2008</i>	UNI EN 13804:2013 + UNI EN 13805:2014 + UNI EN 15763	<0,1 ppm	n.a. ppm
Piombo/ <i>Lead</i>	regolamento (CE) 629/2008 / <i>regulation (CE) 629/2008</i>	EPA 3050B 1996 + EPA 6020B 2014	<3 ppm	n.a. ppm
Cadmio/ <i>Cadmium</i>	regolamento (CE) 629/2008 / <i>regulation (CE) 629/2008</i>	EPA 3050B 1996 + EPA 6010D 2014	<1 ppm	n.a. ppm

Allergeni/Allergens

caratteristiche/items	met./method	specifiche/specifications	risultato/result	
Glutine/ <i>Gluten</i>	regolamento (UE) 828/2014 / <i>regulation (EU) 828/2014</i>		<5 ppm	<5 ppm
Lattosio/ <i>Lactose</i>	nota del Ministero della Salute Italiano (2016.04.05) / <i>note of the Italian Ministry of Health (2016.04.05)</i>		<100 ppm	50,2 ppm

NATURAL WAY LABORATORIES S.R.L.

Via Centoarte, 115
37013 Caprino Veronese (VR)
ITALIA
T +39 045 6200037
F +39 045 6201173

www.nwlabns.it
info@nwlabns.it
nwlabns@pec.nwlabns.it
C.F. e P.IVA 04393790235
R.E.A. VR - 416426

CERTIFICATO D'ANALISI
CERTIFICATE OF ANALYSIS

GARLIVE ORAL SPRAY 20ml MAGI'S LAB

Lotto n°/Batch n°: **B21306.**Data di scadenza/*Date of expiration*: **nov-24**

Analisi Microbiologiche/*Microbiological analysis*

<i>caratteristiche/items</i>	<i>met./method</i>	<i>specifiche/specifications</i>	<i>risultato/result</i>
Conta microbica totale/ <i>Total aerobic microbial count</i>	I.O. 10.03	<10 ⁴ CFU/g ref. E.P. 10.0	conforme/ <i>comply</i>
Muffe e lieviti/ <i>Total combined yeasts and moulds count</i>	I.O. 10.08	<10 ² CFU/g ref. E.P. 10.0	conforme/ <i>comply</i>
Salmonella spp./ <i>Salmonella spp.</i>	I.O. 10.07	absent/25 g ref. E.P. 10.0	conforme/ <i>comply</i>
E. coli/ <i>E. coli</i>	I.O. 10.04	absent/g ref. E.P. 10.0	conforme/ <i>comply</i>
S. aureus/ <i>S. aureus</i>	I.O. 10.51	absent/g ref. E.P. 10.0	conforme/ <i>comply</i>

*n.a. = non analizzato

*n.a. = not analyzed

*n.d.= non disponibile

*n.d.= not available

Le specifiche di rilascio sono condivise con il cliente

The release parameters are shared with the customer

Direttore Tecnico/*Technical Manager* :
Dr. Massimo Coatto

Azienda certificata ISO 9001:2015 e GMP

Factory certificated GMP and ISO 9001:2015

Azienda certificata per l'utilizzo di materie prime biologiche

Factory certificated for biological production

NATURAL WAY LABORATORIES S.R.L.

Via Centoarte, 115

37013 Caprino Veronese (VR)

ITALIA

T +39 045 6200037

F +39 045 6201173

www.nwlabs.it

info@nwlabs.it

nwlabs@pec.nwlabs.it

C.F. e P.IVA 04393790235

R.E.A. VR - 416426